

exception	𠂇𠂇𠂇𠂇
editor	𠂇𠂇𠂇𠂇、𠂇𠂇𠂇𠂇
custom	𠂇𠂇𠂇𠂇
select	𠂇𠂇𠂇
cursor	𠂇𠂇𠂇、𠂇𠂇𠂇
uninstall	𠂇𠂇𠂇𠂇
log	𠂇𠂇
shell	𠂇𠂇
drive	𠂇𠂇𠂇
file	𠂇𠂇𠂇
entries	𠂇𠂇𠂇𠂇
unbound	𠂇𠂇𠂇
super key	𠂇𠂇𠂇 𠂇𠂇
command	𠂇𠂇𠂇、𠂇𠂇𠂇
application	𠂇𠂇𠂇𠂇𠂇

menu	齋 <sup>二</sup> 𠂔 <sup>一</sup>
regular expression	𠂔 <sup>二</sup> 𠂔 <sup>一</sup> 𠂔 <sup>二</sup> 𠂔 <sup>一</sup>
	𠂔 <sup>二</sup> 𠂔 <sup>一</sup> 𠂔 <sup>二</sup> 𠂔 <sup>一</sup> 、𠂔 <sup>二</sup> 𠂔 <sup>一</sup> 𠂔 <sup>二</sup> 𠂔 <sup>一</sup> 𠂔 <sup>二</sup> 𠂔 <sup>一</sup> 𠂔 <sup>二</sup> 𠂔 <sup>一</sup>
undo	𠂔 <sup>二</sup> 𠂔 <sup>一</sup>
redo	𠂔 <sup>二</sup> 𠂔 <sup>一</sup>
select all	𠂔 <sup>二</sup> 𠂔 <sup>一</sup> 𠂔 <sup>二</sup>
plain text	𠂔 <sup>二</sup> 𠂔 <sup>二</sup> 𠂔 <sup>一</sup>
screen reader	𠂔 <sup>二</sup> 𠂔 <sup>一</sup> 𠂔 <sup>二</sup> 𠂔 <sup>一</sup>
optimise	𠂔 <sup>二</sup> 𠂔 <sup>一</sup> 𠂔 <sup>二</sup> 𠂔 <sup>一</sup>
character	𠂔 <sup>二</sup> 𠂔 <sup>一</sup> 𠂔 <sup>二</sup> 𠂔 <sup>一</sup> 、𠂔 <sup>二</sup> 𠂔 <sup>一</sup> 𠂔 <sup>二</sup> 𠂔 <sup>一</sup>
comments	𠂔 <sup>二</sup> 𠂔 <sup>一</sup> 𠂔 <sup>二</sup> 𠂔 <sup>一</sup>
search view	𠂔 <sup>二</sup> 𠂔 <sup>一</sup> 𠂔 <sup>二</sup> 𠂔 <sup>一</sup>
clipboard	𠂔 <sup>二</sup> 𠂔 <sup>一</sup>
font ligatures	𠂔 <sup>二</sup> 𠂔 <sup>一</sup> 𠂔 <sup>二</sup> 𠂔 <sup>一</sup> 𠂔 <sup>二</sup> 𠂔 <sup>一</sup>
boolean	𠂔 <sup>二</sup> 𠂔 <sup>一</sup> 𠂔 <sup>二</sup> 𠂔 <sup>一</sup>

peek view 𠄎𠄎𠄎𠄎

peek-less navigation 𠄎𠄎𠄎𠄎𠄎𠄎

𠄎𠄎𠄎𠄎𠄎𠄎

id 𠄎𠄎𠄎

hover 𠄎𠄎𠄎𠄎𠄎𠄎、𠄎𠄎𠄎𠄎𠄎𠄎

mouse 𠄎𠄎𠄎𠄎、𠄎𠄎𠄎𠄎

code 𠄎𠄎

inline hints 𠄎𠄎𠄎𠄎𠄎𠄎𠄎𠄎𠄎𠄎

minimap 𠄎𠄎𠄎𠄎𠄎

slider 𠄎𠄎𠄎𠄎𠄎𠄎

scale 𠄎𠄎𠄎𠄎

characters 𠄎𠄎𠄎𠄎𠄎𠄎𠄎𠄎

pop-up 𠄎𠄎𠄎𠄎𠄎

parameter 𠄎𠄎𠄎𠄎𠄎𠄎𠄎𠄎、

𠄎𠄎𠄎𠄎𠄎𠄎

documentation      耄𠂇𠂇𠂇𠂇𠂇

strings      𠂇𠂇𠂇

rulers      呼𠂇𠂇𠂇𠂇、呼𠂇𠂇𠂇𠂇

array      𠂇𠂇𠂇

extensions      𠂇𠂇𠂇𠂇𠂇

typos      𠂇𠂇𠂇𠂇𠂇

workspaces      𠂇𠂇𠂇𠂇𠂇𠂇𠂇

windows      𠂇𠂇𠂇𠂇𠂇

snippet      𠂇𠂇𠂇𠂇𠂇

icons      𠂇𠂇𠂇𠂇𠂇

method      𠂇𠂇𠂇𠂇𠂇、𠂇𠂇𠂇𠂇𠂇

function      𠂇𠂇𠂇𠂇𠂇

constructors      𠂇𠂇𠂇𠂇𠂇𠂇𠂇

fields      𠂇𠂇𠂇𠂇𠂇

variables      𠂇𠂇𠂇𠂇𠂇𠂇𠂇𠂇𠂇

class 𠂔𠂔𠂔

structs 𠂔𠂔𠂔

interfaces 𠂔𠂔𠂔𠂔𠂔

module 𠂔𠂔

property 𠂔𠂔𠂔

event 𠂔𠂔

operator 𠂔𠂔𠂔𠂔𠂔、𠂔𠂔𠂔𠂔𠂔

constant 𠂔𠂔𠂔

folders 𠂔𠂔𠂔、𠂔𠂔𠂔

configurations 𠂔𠂔𠂔𠂔𠂔𠂔

language configurations

𠂔𠂔𠂔𠂔𠂔𠂔𠂔𠂔

decorators 𠂔𠂔𠂔𠂔

formatter 𠂔𠂔𠂔𠂔、𠂔𠂔𠂔𠂔

glyph 𠂔𠂔

links 𠂔𠂔

scroll 𠂔𠂔

map 𠂔

semantic symbol 𠂔𠂔𠂔 𠂔𠂔𠂔

overview ruler 𠂔𠂔𠂔 𠂔𠂔𠂔

tree 𠂔𠂔

widget 𠂔𠂔𠂔

indent guides 𠂔𠂔 𠂔𠂔

fold 𠂔𠂔

tab complete 𠂔 𠂔𠂔

terminators 𠂔𠂔𠂔 𠂔𠂔𠂔、

𠂔𠂔𠂔 𠂔𠂔𠂔

tab stops 𠂔 𠂔𠂔𠂔

separators 𠂔𠂔𠂔 𠂔𠂔𠂔

indent 𠂔𠂔

algorithm      ㄒㄩˋ ㄓㄨˋ ㄗㄩˋ ㄈㄣˋ

scripts      ㄘㄩˋ ㄓㄩˋ ㄗㄩˋ

browser      ㄅㄨˋ ㄗㄨˋ

wrapping points      ㄨㄞˋ ㄅㄧㄥˋ ㄅㄧㄥˋ ㄗㄩˋ